Sprite® Air Scoop™

Wet/Dry Tank Vacuum











Sprite[®] Air Scoop™

Wet/Dry Tank Vacuum



Ideal applications include:

- Hospitals/Healthcare Facilities
- Schools and Universities
- Government Buildings and Installations
- Supermarkets
- Shopping Malls
- Warehouses
- Distribution Centers
- Retail Stores
- Airports

The Advance Sprite® Air Scoop™ Wet/Dry Tank Vacuum is Truly a Versatile Product for Many Time and Labor Saving Jobs.

With today's high cost of labor, why waste time with mops and buckets? Put an Advance Sprite® Air Scoop™ on the job and start saving money.

The Advance Sprite Air Scoop comes with a 16 gallon (60 L) tank that is rugged, rotationally molded polyethylene which is corrosion proof and will not chip or dent.

It conveniently pivots on a hinge to dump its contents or drains through a built in hose. The entire tank lifts off for cleaning and allows total access for motor service or maintenance.

The powerful, yet quiet, 70 dB A, 1.3 hp 2 stage, by-pass motor is located under the tank for protection from water and debris. A float system stops recovery to prevent tank overflow.

For dry pick up, insert a sock filter or a reusable cloth bag, and use any of the dry pick up accessories. A washable exhaust filter helps assure dust containment.

The Advance Sprite Air Scoop picks up water faster than those with a hose and wand, and is especially effective in tight spots too. The 24 inch (60 cm) front-mounted squeegee maneuvers right up to walls and into corners, picking up either in forward or reverse. A simple floor pedal raises or lowers the squeegee, which is spring loaded to follow floor contours for thorough results.

A built in float system automatically cuts off the vacuum air flow when the tank fills with liquid, preventing overflow

Rotomolded handle allows comfortable operating positions for all users

A cleanable, reusable filter keeps exhaust air clean and muffles vac motor sound A sock filter goes over the float assembly for dry pick up, and a cloth bag can be inserted into the tank for dry vacuum operation A 1.3 hp motor is located under the tank for protection Tough polyethylene from water and debris construction and functional design assure durability, dependability Large rear wheels make transport easy, even up or down stairs

Front caster wheels provide

"easy action" transport

В

AND



Roto-molded poly tank is hinged for tip and pour emptying. The tank can be completely removed from the base for easy clean-out.



Positioned at the lowest point in the tank, the drain hose provides an alternative draining method.



Simple design gives direct access to modular vac motor. Four bolts and motor is released for service or replacement.



The front mounted squeegee on the Sprite® Air Scoop™ can increase productivity by 80% over manual pick up tools.



The base has an easy to use, rugged on/off switch. The Sprite® Air Scoop™ also has a pedal for operating the front mounted squeegee.

Save time and labor with the Air Scoop™ front mounted squeegee. Rugged construction with durable components

assures years of reliable performance.

Easy access motor can be released by removing four bolts.

The Sprite Air Scoop

includes a 24 in (61 cm) front mounted squeegee

Low sound level permits operation anywhere, anytime.





Technical Specification	ns
Models	Sprite® 16 Air Scoop™
Motor	1.3 hp, 115 V / 60 Hz, 2-stage
Air Flow	91 ft³/min (2,577 L/min)
Sealed Waterlift	88 in (223 cm)
Squeegee Width	24 in (61 cm) Air Scoop
Cleaning Rate	11,500 ft²/hr (1,068 m²/hr) Air Scoop
Sound Level	70 dB A
Construction	roto-molded polyethylene tank
Tank Capacity	16 gal (60 L) actual
Wheels	10 in x 1.75 in (25 cm x 4.5 cm) main
	4 in x 1 in (10 cm x 2.5 cm) casters
Power Cable	50 ft (15 m)
Dimensions	
Height	35 in (89 cm)
Width	17 in (43 cm)
Length	40.5 in (103 cm)
Height (dome)	35 in (89 cm)
Height handle	39.5 in (100 cm)
Net Weight	77 lb (35 kg) Air Scoop
Shipping Weight	85 lb (39 kg) Air Scoop
Part Numbers	56209092

Specifications are subject to change without notice.







Sprite[®] Air Scoop™

Meets the Demand for Quality and Performance.

Productivity

Increase your staff's efficiency with the Sprite® Air Scoop™ wet/dry tank vacuum. The 24 inch (61 cm) front mounted squeegee can increase productivity by 80% over manual pick up tools, cleaning up to 11,500 square feet (1,068 m²) per hour. The tip and pour feature makes these rugged, versatile wet/dry vacuums convenient to use.

Accessories and options:

 The Advance Sprite[®] Air Scoop[™] comes standard with the 24 inch front mounted squeegee. A wide variety of optional accessories are also available for the Advance Sprite Air Scoop.



14600 21st Avenue North Plymouth, MN 55447-3408 www.advance-us.com Phone 800-850-5559 Fax 800-989-6566

240 Superior Boulevard Mississauga, Ontario, Canada L5T 2L2 www.nilfisk-advance.com Phone 800-668-8400 Fax 800-263-5111



Smart cleaning.

Our products are designed using innovative technology that increases productivity and drives down the cost to clean.

Maintain peak performance with Nilfisk Genuine OEM Parts.

©2010 Nilfisk-Advance, Inc. Form L0809A 8-4-10



A Nilfisk-Advance Brand www.advance-us.com