




STAND FOR A BRILLIANT SHINE.

Experience how our stand-on design improves your burnishing speed and quality

Chariot 2 iGloss 20 stands for a brilliant shine.

Experience how our stand-on design improves your burnishing speed and quality. This model easily fits into tight and busy areas due to its compact size and 360 degree mobility. Get that brilliant shine you are looking for with this model's 2000 rpm pad driver all with the lowest dBA in the industry. For indoor air quality, dust is collected in a convenient disposable bag.



Work smarter not harder

- Designed with our Chariot patented stand-on cleaning technology that significantly increases productivity and cleaning quality
- Features a patent-pending spring-loaded weighted pad that requires no adjustment—just turn the dial and burnish
- With a footprint smaller than a walk-behind or a ride-on, the Chariot easily fits into busy environments without disrupting work flow.
- Low dBA allows for daytime cleaning (lowest in industry)
- 20" 2000 RPM pad driver system provides high gloss performance.

User-friendly

- Intuitive function control system with preset cleaning settings simplifies training and provides more consistent cleaning results.
- On-Board charger available for AGM model can be used with any standard wall outlet.
- The weighted pad is designed with no adjustment, making training and use easy with consistent performance.

Safety first

- Dust is collected in a convenient, disposable bag for improved indoor air quality.
- Convenient tie-down bar for safe and easy transportation
- Best-in-class visibility for the operator

Technical Data and Equipment.

Chariot 2 iGloss 20

- Electronic raising and lowering burnisher deck
- Ergonomically designed leg panel for increased operator comfort
- Passive or active dust control for improved air quality

Technical data

Cleaning path	in	20
Cleaning rate	ft²/hr	24,000
Pad driver		20", flexible
Pad motor	HP	3
Pad speed	RPM	2000
Electrical system		36V 3x12V 130 A/H or 225 A/H, 36V 3x12V 114 A/H AGM or 234 A/H AGM
Operating noise level	dB(A)	62.2 (active), 59.7 (passive)
Weight (w/o batteries)	lbs	232
Dimensions (L x W x H)	in	44.5" x 23.5" x 51.75"

Features

Auto-adjusting burnishing deck	■
Battery meter, hour meter	■

■ = Included in delivery.

Please contact us for more information:

North America

4555 Airport Way
Denver, CO 80239 U.S.A.

Phone +1 800 444-7654
Fax +1 866 271-0520

Canada

6535 Millcreek Drive
Unit 67
Mississauga, ON L5N 2M2 Canada

Phone +1 905 672-8233
Fax +1 905 672-3155

www.windsorkarchergroup.com