




DOUBLE YOUR PRODUCTIVITY.

Experience a fifty percent gain in productivity with the Chariot 2 iScrub 20 Deluxe versus a conventional 20 inch walk-behind scrubber.

Double your scrubbing productivity.

Experience a fifty percent gain in productivity with the Chariot 2 iScrub 20 Deluxe versus a conventional 20 inch walk-behind scrubber. With a lower investment cost, higher production rate and simplicity of maintenance, this scrubber exceeds all expectations. This model features an on-board charger and optional chemical metering for even greater time-savings.



Productivity focused

- Chariot patented stand-on cleaning technology that significantly increases productivity and cleaning quality
- 50% more productive than a conventional 20 inch walk-behind scrubber
- Quiet operation for daytime cleaning
- On-board charger allows for charging anywhere
- The center-pivot squeegee uses Aqua-Mizer Technology, creating a cleaning chamber that holds the solution so that it is used to the fullest effectiveness. Aqua-mizer helps you lower your water and chemical consumption, extending up to 50% greater coverage per tankful.
- Optional chemical metering available to ensure optimal chemical usage.

Safety first

- Swiveling no-adjustment squeegee, with Aqua-Mizer functionality that ensures 100% water pick up for dry, safe floors
- Design and size that provides remarkable maneuverability, and best-in-industry 360° visibility that allows the operator to see more of the cleaning area
- Tie-down bar for ease of transportation

Easy-to-use

- Intuitive control panel with two transport speeds and two operating speeds, and an easy-to-clean, fully accessible hygienic recovery tank
- Solution dump hose rotates to the floor for easy, operator-free dumping.
- Wide open accessibility for service, with hygienic, easy-to-clean recovery tanks and easy access to batteries
- Tight 48 inch turning radius for maneuverability

Technical Data and Equipment.

Chariot 2 iScrub 20 Deluxe

- Swiveling, no-adjustment squeegee
- Quiet operation for daytime cleaning
- External fill port for quick access to fill solution tank

Technical data

Cleaning path	in	20
Cleaning rate	ft ² /hr	19,000
Pad driver	in	20"
Pad driver motor	HP	.50
Pad driver speed	RPM	1725/80
Pad pressure	lbs	50
Solution capacity	gal	10
Recovery capacity	gal	10
Electrical system		36V 3x12V 130 A/H, 36V 3x12V 114 A/H AGM
Operating noise level	dB(A)	68
Weight (w/o batteries)	lbs	250
Dimensions (L x W x H)	in	42" x 26.5" x 50.75"

Features

Electrical parking brake	■
No-adjustment squeegee	■

■ = Included in delivery.

Please contact us for more information:

North America

4555 Airport Way
Denver, CO 80239 U.S.A.

Phone +1 800 444-7654
Fax +1 866 271-0520

Canada

6535 Millcreek Drive
Unit 67
Mississauga, ON L5N 2M2 Canada

Phone +1 905 672-8233
Fax +1 905 672-3155

www.windsorkarchergroup.com