


PRODUCTIVITY AND SCRUBBING POWER FOR EVERYDAY USE.

Compact stand-on cylindrical scrubbing.

Productivity and scrubbing power for everyday use.

Revel in the productivity and power gains from this combination of our Chariot 2 line with our superior cylindrical scrubbing technology. Save time and money by pre-sweeping, scrubbing and vacuuming in one pass with this machine. This advantage comes on with cylindrical scrubbing. All of the benefits of a traditional Chariot come with this unit including ergonomic improvements, productivity gains, and easy intuitive operation.



Productivity

- Designed with our patented Chariot stand-on technology for increased productivity and maneuverability
- Two 22" counter-rotating cylindrical brushes provides pre-sweeping, scrubbing and vacuuming in one pass for thorough cleaning especially on grouted & structured surfaces
- Over 50% more productive than a conventional 20 inch walk-behind scrubber

Easy to use

- An ultra-tight turning radius enables Chariot to run around in five foot aisles with room to spare. Greater access in tight areas, increasing your floor cleaning coverage.
- Intuitive control panel and an easy-to-clean, fully accessible hygienic recovery tank.
- Easy access to the debris tray for dumping and cleaning.
- Wide-open access to battery compartment and effortless access to recovery tank for easy cleaning

Safety first

- Swiveling no-adjustment squeegee, with Aqua-Mizer functionality that ensures 100% water pick up for dry, safe floors
- Design and size that provides remarkable maneuverability, and best-in-industry 360° visibility that allows the operator to see more of the cleaning area
- Tie-down bar for ease of transportation
- Quiet operation for daytime cleaning.

Technical Data and Equipment.

Chariot 2 iScrub 22 SP

- Ergonomically designed leg panel for increased operator comfort
- External fill-port provides easy access to fill solution and water
- Chemical metering available

Technical data

Cleaning path	in	22
Cleaning rate	ft ² /hr	19,700
Brushes		Two 22" counter-rotating cylindrical
Brush motor	HP	.8
Brush speed	RPM	1500
Brush pressure	lbs	46
Solution capacity	gal	10
Recovery capacity	gal	10
Electrical system		36V 3x12V 130 A/H, 36V 3x12V 114 A/H AGM
Operating noise level	dBA	71.5
Weight (w/o batteries)	lbs	255
Dimensions (L x W x H)	in	44" x 25.4" x 51.8"

Accessories

Product Name	Order No.	Description
Cylindrical brush	4.762-410.0	Orange, high/low
Cylindrical brush	4.762-393.0	Red, medium
Cylindrical brush	4.762-411.0	Green, hard
Cylindrical brush	4.762-409.0	White, soft
Cylindrical pad shaft	4.762-415.0	2 required
Chemical-free stripping roller	8.635-692.0	22", 2 required (must have 4.762-415.0 pad shafts)
Microfiber roll	4.114-010.0	
Squeegee set	6.273-207.0	Oil resistant
Pad	6.369-735.0	White
Pad	6.369-732.0	Yellow
Pad	6.369-733.0	Green
Pad	6.369-734.0	Red

Please contact us for more information:

North America

4555 Airport Way
Denver, CO 80239 U.S.A.

Phone +1 800 444-7654
Fax +1 866 271-0520

Canada

6535 Millcreek Drive
Unit 67
Mississauga, ON L5N 2M2 Canada

Phone +1 905 672-8233
Fax +1 905 672-3155

www.windsorkarchergroup.com