



750

All Surface Cleaner



750

All Surface Cleaner

A Brilliant Way to Keep Restrooms and Hard Surfaces Sparkling Clean



Formula 710 and 720 cleaning formulas—designed for use on hard, tiled surfaces such as restrooms and shower areas.



Use the low pressure setting to apply the Formula 710 Multi-Surface Cleaner.

Tennant has just the right solution for the number one cleaning challenge: restrooms and other hard surfaces. The Model 750 All Surface Cleaner can clean up to three times faster and more thoroughly than the manual “wipe down” method, which misses corners and hard to reach areas and just spreads the dirt around.

Multifunctional Cleaner

The Model 750 All Surface Cleaner is a multi-functional machine that cleans and rinses fixtures and surfaces, blow dries the rinsed surfaces and then recovers dirty water. After cleaning, the 19 gal/72 L recovery tank easily empties using the drop-down drain hose or power pump-out system. Its compact size means the Model 750 can be stowed in most custodial closets. The result is a brilliantly clean area without the operator ever touching a contaminated surface.

Tools and Accessories

The Model 750 comes complete with 10 standard tools and accessories and a starter kit of Tennant’s Formula 710 Multi-Surface Acid Cleaner and Formula 720 Multi-Surface Rinse.

Application Usages

The Model 750 efficiently cleans sinks, urinals, pool, tub, and shower areas, locker rooms, stairwells, windows and other non-porous surfaces. It’s an ideal machine for use in schools and universities, senior and child care centers, health clubs, hospitals and nursing homes, sports facilities, retail stores and office buildings.

Sanitary “Touchless” Cleaning

Boost worker morale and productivity with the Model 750 All Surface Cleaner by eliminating hands-on “dirty work”. Employees will enjoy using the Model 750 because it produces brilliant results without the operator touching contaminated surfaces.

Productivity

With an increase in cleaning productivity, employees will have more time for other jobs needing attention.

The Model 750 All Surface Cleaner: A brilliant way to spend your cleaning dollars and time.



Scrub floors, walls and fixtures to remove scum and soil buildup from surfaces.



Use high pressure setting to rinse tiled area from top to bottom.



Recover dirty water into the recovery tank with the floor squeegee tool.

Bladder Tank

Expandable bladder tank holds 15 gal/57 L of solution

Vacuum Hose

25 ft/7.6 m, 1.5 inch diameter vacuum hose allows operator to recover water in tight or hard to reach areas

Formula Metering System

Allows user to customize formula flow for specific cleaning needs; clear hose allows operator to see formula flow

Drain Hose

Drop down drain hose allows operator to empty dirty water into toilet or floor drain

Recovery Tank

19 gal/72 L recovery tank contains recovered water

Vacuum Motor

3-stage vacuum motor delivers high performance for optimal water retrieval

Blower Motor

Separate motor blows clean air through gray blower hose; use hose to dry wet surfaces and clean ducts and air vents

Solution Hose

25 ft/7.6 m solution hose and variable spray gun allow user to apply formula or rinse for specific cleaning needs

Formula On/Off Lever

Starts/stops solution flow to spray gun

Solution Pump

500 psi/34 bar pump for high pressure spray cleaning

Large Wheels

12 in/300 mm wheels make maneuvering and transporting the unit easy



Shower areas



Urinals and toilets



Stairwells

Applications

750 ALL SURFACE CLEANER SPECIFICATIONS

MACHINE DIMENSIONS

Height	37.5 in	960 mm
Length	36.5 in	930 mm
Width	18.5 in	470 mm
Weight	126 lbs	57 kg

BODY CONSTRUCTION

Housing	Polyethylene	-
Casters	4 in	100 mm
Wheel Type	12 in	300 mm

SOLUTION PUMP

Pressure	500 psi	34 bar
Voltage	120 V	-
Amps	4.5A	-
High Pressure Setting	1 gpm/300 psi	4 lpm/21 bar
Low Pressure Setting	1.5 gpm/45 psi	6 lpm/3 bar

RECOVERY SYSTEM

Motors (2)	1 vacuum, 1 blower	
Vacuum Water Lift (vac/blower)	117/91 in	2972/2311 mm
Airflow (vac)	99 cfm	168 m ³ /hr
Vacuum Motor Type	Single speed, UL/CSA	
Motor Stages (vac/blower)	3-stage (vacuum)/2-stage (blower)	
3-stage Vacuum Motor Amps	10 A	-
Vac/Blower Motor Voltage	120 V	-
Vac/Blower Motor Watts	1000 W	-

Tank Capacity

Solution Tank Capacity	15 gal	57 L
Recovery Tank Capacity	19 gal	72 L

Power Cord

Length	25 ft/7.6 m
Description	Yellow, GFCI, (120 V, 15 A)
Total Power Consumption	12 A

STANDARD ACCESSORIES:

Double-bend aluminum wand, 25 ft/7.6 m, 1.5 inch diameter recovery hose-black, scrub brush, 25 ft/7.6 m blower hose-gray, 25 ft/7.6 m high pressure hose with quick connect variable pressure gun, floor squeegee tool, hand squeegee tool, blower tool, gulper floor drain tool, fill hose, metering tip packet, 1 gal/3.8 L Formula 710 Multi-Surface Cleaner and Formula 720 Rinse.



STANDARD ACCESSORY KIT



OPTIONAL CARPET EXTRACTION KIT


OPTIONAL ACCESSORIES/SUPPLIES:

Formula 710 Multi-Surface Acid Cleaner-4 gal/15 L per case, Formula 720 Multi-Surface Rinse-4 gal/15 L per case, Carpet extraction tool

(Specifications subject to change)

Creating a cleaner, safer world™

Tennant Company offers the most complete line of floor and surface maintenance equipment, floor coatings, brushes and cleaning detergents in the world for the industrial, commercial and outdoor cleaning markets. Our sales and service networks provide you with integrated custom cleaning solutions to meet any floor care need.



**Tennant Company
Commercial Products**
12875 Ransom Street
Holland, MI 49424 USA
Ph: (616) 786-2330
Toll-free: (800) 982-7658
Fax: (616) 678-4240
Web: www.tennantco.com
E-mail: tennantinfo@aol.com

Authorized Tennant Sales Representative