

# STRIVE COMPACT

Small area, fast-dry carpet cleaner



# Deliver clean, dry carpet in 30 minutes or less with ReadySpace®



## Clean small carpeted areas in a snap!

Easily reach and clean tight areas with forward and reverse cleaning action, low-profile body, and Insta-Adjust<sup> $\mathsf{TM}$ </sup> handle.

## Rugged construction you can count on

Your machine will be up and running for years to come with corrosion-resistant cast aluminum frame and durable polyethylene rotomold tanks.

## Fill and empty — almost anywhere!

Lift-off solution and recovery tanks can be filled under most faucets and emptied into most drains and sinks.



## Five no-nonsense features

Insta-Adjust™ handle
Quickly adjusts for
operator comfort
and cleaning ease.



Low-profile body
Easily reach under
tables and desks
with ultra low
24-inch machine
profile.



Start cleaning immediately with easy-to-use one-button operation.

## Built to be tough. Made to be easy.





More than clean, it's ReadySpace.®

## Patented ReadySpace® Technology Clean, dry carpets in less than 30 minutes.

Ensure a visibly clean, safe environment while improving the look of your carpet with Nobles' ReadySpace technology. Lift and remove dirt while providing clean, dry carpet in 30 minutes or less. Check out these results:

- High-traffic areas stay cleaner Deliver a consistent look with regular cleanings.
- Reduce build up Less chemical is used which helps prevent resoiling.
- Maximize carpet life ReadySpace doesn't damage your carpet like bonneting can.
- Reduce the risk of slip-and-fall accidents –
   Due to fast dry-time you can walk from just
   cleaned carpet to hard floor with less risk of
   slippery mishaps.




4. No-tools required
Reduce time;
improve reliability
with no-tool roller
and vacuum shoe
maintenance.



5 Iron-clad warranty
3 years, 2,500 hours
on parts and labor.
10 years on tanks.







# Patented ReadySpace® Technology Clean, dry carpets in less than 30 minutes.

ReadySpace technology removes the soil before it becomes ground-in:

- A) Damp soil-transfer rollers grab dirt from carpet fibers and lift it into the machine.
- B) Inside, sprayers rinse the rollers-not the carpet.
- **C)** Two powerful vacuum shoes suck the dirty water into the recovery tank. Because the carpet itself is never saturated, dry time is significantly reduced.

## With ReadySpace technology you will...

Turn your just-cleaned carpet spaces around quicker, keep rooms open for traffic longer, and clean high traffic areas more often.

Engineered by Tennant Company, the Strive Compact is a smart, reliable choice for your no-nonsense cleaning needs.

### Warranty

3 years/2500 hours on parts and labor. 10 years on rotationally -molded polyethylene tanks. No travel.

### Nobles

701 North Lilac Drive P.O. Box 1452 Minneapolis, MN 55440-1452 800.553.8033 763.540.1200 f: 763.513.2112 www.nobles.com nobles@tennantco.com



Carpet and Rug Institute (CRI) Seal of Approval -Certified Bronze

| Specifications                  |                 |                  |
|---------------------------------|-----------------|------------------|
| Cleaning path                   | 15 in           | 380 mm           |
| Solution tank                   | 5 gal           | 19 L             |
| Recovery tank                   | 5 gal           | 19 L             |
| Roller size (dual cylindrical)  | 15 in           | 380 mm           |
| Roller speed                    | 450 rpm         | 450 rpm          |
| Roller motor (2)                | 0.3 hp          | 0.22 kW          |
| Vacuum fan                      | 2-stage, 1.2 hp | 2-stage, 0.89 kW |
| Vacuum motor airflow (max)      | 99 cfm          | 2.8 m³/min       |
| Vacuum system sealed water lift | 86 in           | 2,180 mm         |
| Solution pump pressure          | 65 psi          | 4.48 bar         |
| Solution spray rate             | 0.2 gpm         | 0.76 lpm         |
| Sound level (operator's ear)    | 69 dBA          | 69 dBA           |
| Product length*                 | 30 in           | 760 mm           |
| Product width*                  | 19 in           | 480 mm           |
| Product height*                 | 28 in           | 710 mm           |
| Product weight                  | 117 lb          | 53 kg            |
| Power cord                      | 50 ft           | 15 m             |
| Optional tools available        |                 |                  |

\*Dimensions are measured with handle folded flat for storage.