




**NOBLES**<sup>®</sup>  
ENGINEERED BY TENNANT COMPANY

**STRIVE**<sup>®</sup>  
Dual-technology carpet cleaner



# ReadySpace<sup>®</sup> plus deep extraction: Unbeatable dual-technology carpet cleaning.

## The Strive<sup>®</sup>

### It's fast.

With ReadySpace technology, your carpet will be clean, dry, and ready for use in 30 minutes or less.

### It's powerful.

Use deep cleaning setting for maximum soil extraction.

### It's thorough.

ReadySpace technology removes soil before it becomes embedded, and separates soil from both the front and back of carpet fibers with dual counter-rotating brushes.



## Five no-nonsense features

### 1. Powerful vacuum

Lift dirt and debris out of the carpet and dispose into the recovery tank with two powerful 0.64 hp / 0.48 kW, 3-stage vacuum motors with 120 in / 3,050 mm of waterlift.



### 2. Big solution and recovery tanks

Thanks to the huge 21 gal / 72 L solution and recovery tanks, spend less time messing around with empty/fill cycles and more time cleaning!




### 3. Double agitation and counter-rotation, in just one pass

Get a thorough clean in just one pass with the wide 22 in / 560 mm cleaning path and up to 400 brush/roller rpm.



### Patented ReadySpace® Technology Clean, dry carpets in less than 30 minutes.

ReadySpace technology removes the soil before it becomes deeply embedded:



- A)** Damp soil-transfer rollers grab dirt from carpet fibers and lift it into the machine.
- B)** Inside, sprayers rinse the rollers, not the carpet.
- C)** Two powerful vacuum shoes suck the dirty water into the recovery tank.

Because the carpet itself is never saturated, dry time is significantly reduced.

#### With ReadySpace technology, you will...

Turn your just-cleaned carpeted spaces around quicker, keep rooms open for traffic longer, and clean high traffic areas more often.

#### 4. Solution sight gauge

Always know how much solution you have while cleaning, with the easy-to-read solution sight gauge.



#### 5. Iron-clad warranty

3 years, 2500 hours on parts and labor (excluding batteries).  
10 years on tanks.





**Engineered by Tennant Company, the Strive® dual-technology carpet cleaner is the smart, reliable choice for your no-nonsense cleaning needs.**

**Optional Equipment**

Floor wand, hand tool, hoses

**Warranty**

3 years/2500 hours on parts and labor (excluding batteries).  
10 years on rotationally-molded polyethylene tanks.



Certified Bronze by the Carpet and Rug Institute's (CRI) Seal of Approval program

**Nobles**

701 North Lilac Drive  
Minneapolis, MN 55422  
USA/Canada: +1.800.553.8033  
Quebec: +1.800.361.9050  
[www.nobles.com](http://www.nobles.com)  
[nobles@tennantco.com](mailto:nobles@tennantco.com)

Specifications		
Cleaning path	22 in	560 mm
Productivity (per hour)		
Theoretical max - ReadySpace	13,200 ft <sup>2</sup>	1,226 m <sup>2</sup>
Estimated coverage - ReadySpace	6,000-10,000 ft <sup>2</sup>	560-930 m <sup>2</sup>
Theoretical max - Extraction	5,500 ft <sup>2</sup>	510 m <sup>2</sup>
Estimated coverage - Extraction	2,000-4,000 ft <sup>2</sup>	185-370 m <sup>2</sup>
Solution tank	21 gal	72 L
Recovery tank	21 gal	72 L
Roller/brush size (dual cylindrical)	22 in	560 mm
Roller/brush speed	up to 400 rpm	up to 400 rpm
Brush motor (2)	0.625 hp	0.47 kW
Vacuum shoe (2)		
ReadySpace	22 in (removable without tools)	560 mm (removable without tools)
Extraction	23 in (removable without tools)	580 mm (removable without tools)
Vacuum motor fan (2)	0.64 hp	0.48 kW
Vacuum system airflow (actual)	65 cfm	1.84 m <sup>3</sup> /min
Vacuum system sealed waterlift	120 in	3,050 mm
Solution pump rated pressure	100 psi	6.9 bar
Solution spray rate - ReadySpace	0.33 gpm	1.25 lpm
Solution spray rate - Extraction	1 gpm	3.8 lpm
Cleaning speed - ReadySpace	100 fpm	30 mpm
Cleaning speed - Extraction	50 fpm	15 mpm
Transport speed	250 fpm	76 mpm
Gradeability		
Transport (empty for trailering)	11° / 19.25%	11° / 19.25%
Working	3° / 5%	3° / 5%
Standard capacity batteries (24 V)	235 AH	235 AH
Battery run time (max)	2.5 hr	2.5 hr
Sound level (operator's ear)	72 dBA	72 dBA
Product length	60 in	1,520 mm
Product width	28 in	710 mm
Product height	42 in	1,070 mm
Product weight	340 lb	154 kg
Product weight - with batteries	670 lb	304 kg

Specifications subject to change without notice.